



Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
15	4.6	85-01508	3376	112	21'-6"	6.54	25'-5"	7.74
15	4.6	85-01509	3772	125	24'-2"	7.36	28'-0"	8.53
15	4.6	85-01510	4167	138	26'-10"	8.17	30'-8"	9.36
15	4.6	85-01511	4563	152	29'-6"	8.99	33'-5"	10.18
15	4.6	85-01512	4959	165	32'-2"	9.80	36'-0"	10.97
15	4.6	85-01513	5356	178	34'-10"	10.62	38'-8"	11.80
15	4.6	85-01514	5751	191	37'-6"	11.43	41'-5"	12.62
15	4.6	85-01515	6146	204	40'-2"	12.24	44'-0"	13.41
15	4.6	85-01516	6543	217	42'-10"	13.05	46'-8"	14.23
15	4.6	85-01517	6939	231	45'-6"	13.87	49'-5"	15.06
15	4.6	85-01518	7334	244	48'-2"	14.68	52'-0"	15.85
15	4.6	85-01519	7730	257	50'-10"	15.49	54'-8"	16.67
15	4.6	85-01520	8126	270	53'-6"	16.31	57'-5"	17.50
15	4.6	85-01521	8522	283	56'-2"	17.12	60'-0"	18.29
15	4.6	85-01522	8918	296	58'-10"	17.94	62'-8"	19.11
18	5.5	85-01808	4918	163	21'-6"	6.54	26'-2"	7.99
18	5.5	85-01809	5489	182	24'-2"	7.36	28'-11"	8.81
18	5.5	85-01810	6058	201	26'-10"	8.17	31'-6"	9.60
18	5.5	85-01811	6630	220	29'-6"	8.99	34'-2"	10.42
18	5.5	85-01812	7200	239	32'-2"	9.80	36'-11"	11.25
18	5.5	85-01813	7770	258	34'-10"	10.62	39'-6"	12.04
18	5.5	85-01814	8341	277	37'-6"	11.43	42'-2"	12.86
18	5.5	85-01815	8911	296	40'-2"	12.24	44'-11"	13.69
18	5.5	85-01816	9481	315	42'-10"	13.05	47'-6"	14.48
18	5.5	85-01817	10052	334	45'-6"	13.87	50'-2"	15.30
18	5.5	85-01818	10622	353	48'-2"	14.68	52'-11"	16.12
18	5.5	85-01819	11193	372	50'-10"	15.49	55'-6"	16.92
18	5.5	85-01820	11763	391	53'-6"	16.31	58'-2"	17.74
18	5.5	85-01821	12333	410	56'-2"	17.12	60'-11"	18.56
18	5.5	85-01822	12904	429	58'-10"	17.94	63'-6"	19.35
18	5.5	85-01823	13473	448	61'-6"	18.75	66'-2"	20.18
18	5.5	85-01824	14044	467	64'-2"	19.57	68'-11"	21.00
18	5.5	85-01825	14615	486	66'-10"	20.38	71'-6"	21.79
18	5.5	85-01826	15185	505	69'-6"	21.20	74'-2"	22.62


Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
21	6.4	85-02108	6774	225	21'-6"	6.55	27'-1"	8.26
21	6.4	85-02109	7551	251	24'-2"	7.36	29'-8"	9.05
21	6.4	85-02110	8327	277	26'-10"	8.18	32'-5"	9.88
21	6.4	85-02111	9104	303	29'-6"	8.99	35'-1"	10.70
21	6.4	85-02112	9881	328	32'-2"	9.80	37'-8"	11.49
21	6.4	85-02113	10658	354	34'-10"	10.62	40'-5"	12.31
21	6.4	85-02114	11434	380	37'-6"	11.43	43'-1"	13.14
21	6.4	85-02115	12211	406	40'-2"	12.24	45'-8"	13.93
21	6.4	85-02116	12988	432	42'-10"	13.05	48'-5"	14.75
21	6.4	85-02117	13764	458	45'-6"	13.87	51'-1"	15.58
21	6.4	85-02118	14541	483	48'-2"	14.68	53'-8"	16.37
21	6.4	85-02119	15316	509	50'-10"	15.49	56'-5"	17.19
21	6.4	85-02120	16093	535	53'-6"	16.31	59'-1"	18.01
21	6.4	85-02121	16870	561	56'-2"	17.12	61'-8"	18.81
21	6.4	85-02122	17647	587	58'-10"	17.93	64'-5"	19.63
21	6.4	85-02123	18424	612	61'-6"	18.74	67'-1"	20.45
21	6.4	85-02124	19200	638	64'-2"	19.55	69'-8"	21.24
21	6.4	85-02125	19977	664	66'-10"	20.36	72'-5"	22.07
21	6.4	85-02126	20754	690	69'-6"	21.17	75'-1"	22.89
21	6.4	85-02127	21530	716	72'-2"	21.98	77'-8"	23.68
21	6.4	85-02128	22306	742	74'-10"	22.79	80'-5"	24.51
21	6.4	85-02129	23083	767	77'-6"	23.60	83'-1"	25.33
21	6.4	85-02130	23860	793	80'-2"	24.41	85'-8"	26.12
21	6.4	85-02131	24637	819	82'-10"	25.22	88'-5"	26.94


Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
24	7.3	85-02408	8951	298	21'-6"	6.56	27'-11"	8.50
24	7.3	85-02409	9966	331	24'-2"	7.37	30'-7"	9.33
24	7.3	85-02410	10980	365	26'-10"	8.18	33'-4"	10.15
24	7.3	85-02411	11994	399	29'-6"	8.99	35'-11"	10.94
24	7.3	85-02412	13010	432	32'-2"	9.80	38'-7"	11.77
24	7.3	85-02413	14024	466	34'-10"	10.62	41'-4"	12.59
24	7.3	85-02414	15039	500	37'-6"	11.43	43'-11"	13.38
24	7.3	85-02415	16053	534	40'-2"	12.24	46'-7"	14.20
24	7.3	85-02416	17069	567	42'-10"	13.05	49'-4"	15.03
24	7.3	85-02417	18083	601	45'-6"	13.87	51'-11"	15.82
24	7.3	85-02418	19097	635	48'-2"	14.68	54'-7"	16.64
24	7.3	85-02419	20112	669	50'-10"	15.49	57'-4"	17.47
24	7.3	85-02420	21126	702	53'-6"	16.31	59'-11"	18.26
24	7.3	85-02421	22142	736	56'-2"	17.12	62'-7"	19.08
24	7.3	85-02422	23156	770	58'-10"	17.93	65'-4"	19.90
24	7.3	85-02423	24171	804	61'-6"	18.74	67'-11"	20.70
24	7.3	85-02424	25185	837	64'-2"	19.56	70'-7"	21.52
24	7.3	85-02425	26201	871	66'-10"	20.37	73'-4"	22.34
24	7.3	85-02426	27215	905	69'-6"	21.18	75'-11"	23.13
24	7.3	85-02427	28229	938	72'-2"	21.99	78'-7"	23.96
24	7.3	85-02428	29244	972	74'-10"	22.81	81'-4"	24.78
24	7.3	85-02429	30259	1006	77'-6"	23.62	83'-11"	25.57
24	7.3	85-02430	31274	1040	80'-2"	24.43	86'-7"	26.40
24	7.3	85-02431	32288	1073	82'-10"	25.24	89'-4"	27.22
24	7.3	85-02432	33303	1107	85'-6"	26.05	91'-11"	28.01
24	7.3	85-02433	34317	1141	88'-2"	26.86	94'-7"	28.83
24	7.3	85-02434	35332	1175	90'-10"	27.67	97'-4"	29.66
24	7.3	85-02435	36347	1209	93'-6"	28.50	99'-11"	30.45


Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†					Fill Height	
		(Peaked) Storage		Eave Height				
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
27	8.2	85-02708	11457	381	21'-6"	6.55	28'-10"	8.78
27	8.2	85-02709	12741	424	24'-2"	7.36	31'-6"	9.60
27	8.2	85-02710	14025	466	26'-10"	8.18	34'-1"	10.39
27	8.2	85-02711	15310	509	29'-6"	8.99	36'-10"	11.22
27	8.2	85-02712	16595	552	32'-2"	9.80	39'-6"	12.04
27	8.2	85-02713	17880	594	34'-10"	10.62	42'-1"	12.83
27	8.2	85-02714	19163	637	37'-6"	11.43	44'-10"	13.66
27	8.2	85-02715	20448	680	40'-2"	12.24	47'-6"	14.48
27	8.2	85-02716	21733	722	42'-10"	13.05	50'-1"	15.27
27	8.2	85-02717	23017	765	45'-6"	13.87	52'-10"	16.09
27	8.2	85-02718	24301	808	48'-2"	14.68	55'-6"	16.92
27	8.2	85-02719	25586	851	50'-10"	15.49	58'-1"	17.71
27	8.2	85-02720	26870	893	53'-6"	16.31	60'-10"	18.53
27	8.2	85-02721	28155	936	56'-2"	17.12	63'-6"	19.35
27	8.2	85-02722	29439	979	58'-10"	17.93	66'-1"	20.15
27	8.2	85-02723	30724	1021	61'-6"	18.74	68'-10"	20.97
27	8.2	85-02724	32008	1064	64'-2"	19.56	71'-6"	21.79
27	8.2	85-02725	33293	1107	66'-10"	20.37	74'-1"	22.59
27	8.2	85-02726	34578	1149	69'-6"	21.18	76'-10"	23.41
27	8.2	85-02727	35861	1192	72'-2"	21.99	79'-6"	24.23
27	8.2	85-02728	37146	1235	74'-10"	22.81	82'-1"	25.02
27	8.2	85-02729	38431	1278	77'-6"	23.62	84'-10"	25.85
27	8.2	85-02730	39716	1320	80'-2"	24.43	87'-6"	26.67
27	8.2	85-02731	41000	1363	82'-10"	25.25	90'-1"	27.46
27	8.2	85-02732	42285	1406	85'-6"	26.06	92'-10"	28.29
27	8.2	85-02733	43570	1448	88'-2"	26.90	95'-6"	29.11
27	8.2	85-02734	44854	1491	90'-10"	27.69	98'-1"	29.90
27	8.2	85-02735	46138	1534	93'-6"	28.50	100'-10"	30.72
27	8.2	85-02736	47423	1577	96'-2"	29.32	103'-6"	31.55


Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
30	9.1	85-03008	14304	475	21'-6"	6.55	29'-8"	9.05
30	9.1	85-03009	15890	528	24'-2"	7.36	32'-4"	9.85
30	9.1	85-03010	17476	581	26'-10"	8.18	35'-0"	10.67
30	9.1	85-03011	19062	634	29'-6"	8.99	37'-8"	11.49
30	9.1	85-03012	20648	686	32'-2"	9.80	40'-4"	12.28
30	9.1	85-03013	22235	739	34'-10"	10.62	43'-0"	13.11
30	9.1	85-03014	23821	792	37'-6"	11.43	45'-8"	13.93
30	9.1	85-03015	25407	845	40'-2"	12.24	48'-4"	14.72
30	9.1	85-03016	26993	897	42'-10"	13.05	51'-0"	15.54
30	9.1	85-03017	28579	950	45'-6"	13.87	53'-8"	16.37
30	9.1	85-03018	30165	1003	48'-2"	14.68	56'-4"	17.17
30	9.1	85-03019	31751	1056	50'-10"	15.49	59'-0"	17.98
30	9.1	85-03020	33337	1108	53'-6"	16.31	61'-8"	18.81
30	9.1	85-03021	34923	1161	56'-2"	17.12	64'-4"	19.60
30	9.1	85-03022	36509	1214	58'-10"	17.93	67'-0"	20.42
30	9.1	85-03023	38095	1266	61'-6"	18.74	69'-8"	21.24
30	9.1	85-03024	39682	1319	64'-2"	19.56	72'-4"	22.04
30	9.1	85-03025	41267	1372	66'-10"	20.37	75'-0"	22.86
30	9.1	85-03026	42854	1425	69'-6"	21.18	77'-8"	23.68
30	9.1	85-03027	44440	1477	72'-2"	21.99	80'-4"	24.48
30	9.1	85-03028	46026	1530	74'-10"	22.81	83'-0"	25.30
30	9.1	85-03029	47613	1583	77'-6"	23.62	85'-8"	26.12
30	9.1	85-03030	49198	1636	80'-2"	24.43	88'-4"	26.92
30	9.1	85-03031	50784	1688	82'-10"	25.24	91'-0"	27.74
30	9.1	85-03032	52370	1741	85'-6"	26.05	93'-8"	28.56
30	9.1	85-03033	53956	1794	88'-2"	26.86	96'-4"	29.35
30	9.1	85-03034	55542	1846	90'-10"	27.67	99'-0"	30.18
30	9.1	85-03035	57128	1899	93'-6"	28.48	101'-8"	31.00
30	9.1	85-03036	58714	1952	96'-2"	29.29	104'-4"	31.79


Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
33	10.1	85-03308	17500	582	21'-6"	6.55	30'-6"	9.30
33	10.1	85-03309	19420	646	24'-2"	7.36	33'-2"	10.12
33	10.1	85-03310	21339	709	26'-10"	8.18	35'-11"	10.94
33	10.1	85-03311	23259	773	29'-6"	8.99	38'-6"	11.73
33	10.1	85-03312	25178	837	32'-2"	9.80	41'-2"	12.56
33	10.1	85-03313	27097	901	34'-10"	10.62	43'-11"	13.38
33	10.1	85-03314	29017	965	37'-6"	11.43	46'-6"	14.17
33	10.1	85-03315	30937	1028	40'-2"	12.24	49'-2"	15.00
33	10.1	85-03316	32856	1092	42'-10"	13.05	51'-11"	15.82
33	10.1	85-03317	34775	1156	45'-6"	13.87	54'-6"	16.61
33	10.1	85-03318	36695	1220	48'-2"	14.68	57'-2"	17.43
33	10.1	85-03319	38614	1284	50'-10"	15.49	59'-11"	18.26
33	10.1	85-03320	40534	1347	53'-6"	16.31	62'-6"	19.05
33	10.1	85-03321	42452	1411	56'-2"	17.12	65'-2"	19.87
33	10.1	85-03322	44373	1475	58'-10"	17.93	67'-11"	20.70
33	10.1	85-03323	46292	1539	61'-6"	18.74	70'-6"	21.49
33	10.1	85-03324	48211	1603	64'-2"	19.56	73'-2"	22.31
33	10.1	85-03325	50131	1667	66'-10"	20.37	75'-11"	23.13
33	10.1	85-03326	52050	1730	69'-6"	21.18	78'-6"	23.93
33	10.1	85-03327	53969	1794	72'-2"	21.99	81'-2"	24.75
33	10.1	85-03328	55889	1858	74'-10"	22.81	83'-11"	25.57
33	10.1	85-03329	57809	1922	77'-6"	23.62	86'-6"	26.37
33	10.1	85-03330	59727	1986	80'-2"	24.43	89'-2"	27.19
33	10.1	85-03331	61648	2049	82'-10"	25.24	91'-11"	28.01
33	10.1	85-03332	63567	2113	85'-6"	26.05	94'-6"	28.80
33	10.1	85-03333	65485	2177	88'-2"	26.86	97'-2"	29.63
33	10.1	85-03334	67406	2241	90'-10"	27.67	99'-11"	30.45
33	10.1	85-03335	69324	2305	93'-6"	28.48	102'-6"	31.24
33	10.1	85-03336	71244	2368	96'-2"	29.29	105'-2"	32.06


Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
36	11.0	85-03608	21055	700	21'-6"	6.56	31'-5"	9.57
36	11.0	85-03609	23340	776	24'-2"	7.37	34'-0"	10.36
36	11.0	85-03610	25624	852	26'-10"	8.18	36'-8"	11.19
36	11.0	85-03611	27908	928	29'-6"	8.99	39'-5"	12.01
36	11.0	85-03612	30194	1004	32'-2"	9.80	42'-0"	12.80
36	11.0	85-03613	32479	1080	34'-10"	10.62	44'-8"	13.62
36	11.0	85-03614	34763	1156	37'-6"	11.43	47'-5"	14.45
36	11.0	85-03615	37047	1232	40'-2"	12.24	50'-0"	15.24
36	11.0	85-03616	39332	1308	42'-10"	13.05	52'-8"	16.06
36	11.0	85-03617	41616	1383	45'-6"	13.87	55'-5"	16.89
36	11.0	85-03618	43900	1459	48'-2"	14.68	58'-0"	17.68
36	11.0	85-03619	46186	1535	50'-10"	15.49	60'-8"	18.50
36	11.0	85-03620	48470	1611	53'-6"	16.31	63'-5"	19.32
36	11.0	85-03621	50755	1687	56'-2"	17.12	66'-0"	20.12
36	11.0	85-03622	53040	1763	58'-10"	17.93	68'-8"	20.94
36	11.0	85-03623	55324	1839	61'-6"	18.74	71'-5"	21.76
36	11.0	85-03624	57608	1915	64'-2"	19.56	74'-0"	22.56
36	11.0	85-03625	59893	1991	66'-10"	20.37	76'-8"	23.38
36	11.0	85-03626	62177	2067	69'-6"	21.18	79'-5"	24.20
36	11.0	85-03627	64462	2143	72'-2"	21.99	82'-0"	24.99
36	11.0	85-03628	66747	2219	74'-10"	22.81	84'-8"	25.82
36	11.0	85-03629	69031	2295	77'-6"	23.62	87'-5"	26.64
36	11.0	85-03630	71316	2371	80'-2"	24.43	90'-0"	27.43
36	11.0	85-03631	73601	2447	82'-10"	25.24	92'-8"	28.25
36	11.0	85-03632	75885	2523	85'-6"	26.05	95'-5"	29.08
36	11.0	85-03633	78169	2599	88'-2"	26.86	98'-0"	29.87
36	11.0	85-03634	80454	2675	90'-10"	27.67	100'-8"	30.69
36	11.0	85-03635	82739	2751	93'-6"	28.48	103'-5"	31.52
36	11.0	85-03636	85023	2827	96'-2"	29.29	106'-0"	32.31


Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
42	12.8	85-04208	29281	973	21'-6"	6.56	33'-2"	10.12
42	12.8	85-04209	32391	1077	24'-2"	7.37	35'-10"	10.91
42	12.8	85-04210	35501	1180	26'-10"	8.18	38'-6"	11.73
42	12.8	85-04211	38611	1284	29'-6"	8.99	41'-2"	12.56
42	12.8	85-04212	41721	1387	32'-2"	9.80	43'-10"	13.35
42	12.8	85-04213	44831	1490	34'-10"	10.62	46'-6"	14.17
42	12.8	85-04214	47941	1594	37'-6"	11.43	49'-2"	15.00
42	12.8	85-04215	51051	1697	40'-2"	12.24	51'-10"	15.79
42	12.8	85-04216	54162	1801	42'-10"	13.05	54'-6"	16.61
42	12.8	85-04217	57272	1904	45'-6"	13.87	57'-2"	17.43
42	12.8	85-04218	60382	2007	48'-2"	14.68	59'-10"	18.23
42	12.8	85-04219	63492	2111	50'-10"	15.49	62'-6"	19.05
42	12.8	85-04220	66602	2214	53'-6"	16.31	65'-2"	19.87
42	12.8	85-04221	69712	2318	56'-2"	17.12	67'-10"	20.67
42	12.8	85-04222	72822	2421	58'-10"	17.93	70'-6"	21.49
42	12.8	85-04223	75933	2524	61'-6"	18.74	73'-2"	22.31
42	12.8	85-04224	79043	2628	64'-2"	19.56	75'-10"	23.10
42	12.8	85-04225	82154	2731	66'-10"	20.37	78'-6"	23.93
42	12.8	85-04226	85263	2834	69'-6"	21.18	81'-2"	24.75
42	12.8	85-04227	88373	2938	72'-2"	21.99	83'-10"	25.54
42	12.8	85-04228	91484	3041	74'-10"	22.81	86'-6"	26.37
42	12.8	85-04229	94594	3145	77'-6"	23.62	89'-2"	27.19
42	12.8	85-04230	97704	3248	80'-2"	24.43	91'-10"	27.98
42	12.8	85-04231	100814	3351	82'-10"	25.24	94'-6"	28.80
42	12.8	85-04232	103924	3455	85'-6"	26.05	97'-2"	29.63
42	12.8	85-04233	107035	3558	88'-2"	26.86	99'-10"	30.42
42	12.8	85-04234	110144	3662	90'-10"	27.67	102'-6"	31.24
42	12.8	85-04235	113254	3765	93'-6"	28.48	105'-2"	32.06


Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†					Fill Height	
		(Peaked) Storage		Eave Height				
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
48	14.6	85-04808*	39055	1298	21'-6"	6.55	33'-10"	10.30
48	14.6	85-04808**	39055	1298	21'-6"	6.55	34'-9"	10.59
48	14.6	85-04809*	43118	1433	24'-2"	7.36	36'-6"	11.13
48	14.6	85-04809**	43118	1433	24'-2"	7.36	37'-5"	11.40
48	14.6	85-04810*	47180	1568	26'-10"	8.18	39'-1"	11.92
48	14.6	85-04810**	47180	1568	26'-10"	8.18	40'-1"	12.21
48	14.6	85-04811*	51243	1704	29'-6"	8.99	41'-10"	12.74
48	14.6	85-04811**	51243	1704	29'-6"	8.99	42'-9"	13.03
48	14.6	85-04812*	55306	1839	32'-2"	9.80	44'-6"	13.56
48	14.6	85-04812**	55306	1839	32'-2"	9.80	45'-5"	13.84
48	14.6	85-04813*	59369	1974	34'-10"	10.62	47'-1"	14.36
48	14.6	85-04813**	59369	1974	34'-10"	10.62	48'-1"	14.65
48	14.6	85-04814*	63432	2109	37'-6"	11.43	49'-10"	15.18
48	14.6	85-04814**	63432	2109	37'-6"	11.43	50'-9"	15.46
48	14.6	85-04815*	67494	2244	40'-2"	12.24	52'-6"	16.00
48	14.6	85-04815**	67494	2244	40'-2"	12.24	53'-5"	16.28
48	14.6	85-04816*	71557	2379	42'-10"	13.05	55'-1"	16.79
48	14.6	85-04816**	71557	2379	42'-10"	13.05	56'-1"	17.09
48	14.6	85-04817*	75620	2514	45'-6"	13.87	57'-10"	17.62
48	14.6	85-04817**	75620	2514	45'-6"	13.87	58'-9"	17.91
48	14.6	85-04818*	79683	2649	48'-2"	14.68	60'-6"	18.44
48	14.6	85-04818**	79683	2649	48'-2"	14.68	61'-5"	18.72
48	14.6	85-04819*	83746	2784	50'-10"	15.49	63'-1"	19.23
48	14.6	85-04819**	83746	2784	50'-10"	15.49	64'-1"	19.53
48	14.6	85-04820*	87808	2919	53'-6"	16.31	65'-10"	20.06
48	14.6	85-04820**	87808	2919	53'-6"	16.31	66'-9"	20.34
48	14.6	85-04821*	91871	3054	56'-2"	17.12	68'-6"	20.88
48	14.6	85-04821**	91871	3054	56'-2"	17.12	69'-5"	21.15
48	14.6	85-04822*	95934	3189	58'-10"	17.93	71'-1"	21.67
48	14.6	85-04822**	95934	3189	58'-10"	17.93	72'-1"	21.97
48	14.6	85-04823*	99997	3324	61'-6"	18.74	73'-10"	22.49
48	14.6	85-04823**	99997	3324	61'-6"	18.74	74'-9"	22.78
48	14.6	85-04824*	104060	3459	64'-2"	19.56	76'-6"	23.32
48	14.6	85-04824**	104060	3459	64'-2"	19.56	77'-5"	23.59
48	14.6	85-04825*	108123	3594	66'-10"	20.37	79'-1"	24.11
48	14.6	85-04825**	108123	3594	66'-10"	20.37	80'-1"	24.40


Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
48	14.6	85-04826*	112186	3729	69'-6"	21.18	81'-10"	24.93
48	14.6	85-04826**	112186	3729	69'-6"	21.18	82'-9"	25.22
48	14.6	85-04827*	116249	3865	72'-2"	21.99	84'-6"	25.76
48	14.6	85-04827**	116249	3865	72'-2"	21.99	85'-5"	26.03
48	14.6	85-04828*	120312	4000	74'-10"	22.81	87'-1"	26.55
48	14.6	85-04828**	120312	4000	74'-10"	22.81	88'-1"	26.86
48	14.6	85-04829*	124375	4135	77'-6"	23.62	89'-10"	27.37
48	14.6	85-04829**	124375	4135	77'-6"	23.62	90'-9"	27.66
48	14.6	85-04830*	128438	4270	80'-2"	24.43	92'-6"	28.19
48	14.6	85-04830**	128438	4270	80'-2"	24.43	93'-5"	28.47
48	14.6	85-04831*	132499	4405	82'-10"	25.24	95'-1"	28.99
48	14.6	85-04831**	132499	4405	82'-10"	25.24	96'-1"	29.28
48	14.6	85-04832*	136562	4540	85'-6"	26.05	97'-10"	29.81
48	14.6	85-04832**	136562	4540	85'-6"	26.05	98'-9"	30.10
48	14.6	85-04833*	140625	4675	88'-2"	26.86	100'-6"	30.63
48	14.6	85-04833**	140625	4675	88'-2"	26.86	101'-5"	30.91
48	14.6	85-04834*	144688	4810	90'-10"	27.67	103'-1"	31.42
48	14.6	85-04834**	144688	4810	90'-10"	27.67	104'-1"	31.72
48	14.6	85-04835*	148751	4945	93'-6"	28.48	105'-10"	32.25
48	14.6	85-04835**	148751	4945	93'-6"	28.48	106'-9"	32.54


Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
54	16.5	85-05408*	50452	1677	21'-6"	6.55	35'-6"	10.82
54	16.5	85-05409*	55594	1848	24'-2"	7.36	38'-2"	11.64
54	16.5	85-05410*	60737	2019	26'-10"	8.18	40'-10"	12.44
54	16.5	85-05411*	65879	2190	29'-6"	8.99	43'-6"	13.26
54	16.5	85-05412*	71022	2361	32'-2"	9.80	46'-2"	14.08
54	16.5	85-05413*	76164	2532	34'-10"	10.62	48'-10"	14.87
54	16.5	85-05414*	81307	2703	37'-6"	11.43	51'-6"	15.70
54	16.5	85-05415*	86449	2874	40'-2"	12.24	54'-2"	16.52
54	16.5	85-05416*	91591	3045	42'-10"	13.05	56'-10"	17.31
54	16.5	85-05417*	96733	3216	45'-6"	13.87	59'-6"	18.14
54	16.5	85-05418*	101876	3387	48'-2"	14.68	62'-2"	18.96
54	16.5	85-05419*	107018	3558	50'-10"	15.49	64'-10"	19.75
54	16.5	85-05420*	112160	3729	53'-6"	16.31	67'-6"	20.57
54	16.5	85-05421*	117303	3900	56'-2"	17.12	70'-2"	21.40
54	16.5	85-05422*	122445	4071	58'-10"	17.93	72'-10"	22.19
54	16.5	85-05423*	127588	4242	61'-6"	18.74	75'-6"	23.01
54	16.5	85-05424*	132731	4413	64'-2"	19.56	78'-2"	23.84
54	16.5	85-05425*	137874	4583	66'-10"	20.37	80'-10"	24.63
54	16.5	85-05426*	143016	4754	69'-6"	21.18	83'-6"	25.45
54	16.5	85-05427*	148158	4925	72'-2"	21.99	86'-2"	26.27
54	16.5	85-05428*	153301	5096	74'-10"	22.81	88'-10"	27.07
54	16.5	85-05429*	158443	5267	77'-6"	23.62	91'-6"	27.89
54	16.5	85-05430*	163585	5438	80'-2"	24.43	94'-2"	28.71
54	16.5	85-05431*	168727	5609	82'-10"	25.24	96'-10"	29.50
54	16.5	85-05432*	173870	5780	85'-6"	26.05	99'-6"	30.33
54	16.5	85-05433*	179012	5951	88'-2"	26.86	102'-2"	31.15
54	16.5	85-05434*	184154	6122	90'-10"	27.67	104'-10"	31.94
54	16.5	85-05435*	189296	6293	93'-6"	28.48	107'-6"	32.77
54	16.5	85-05436*	194439	6464	96'-2"	29.29	110'-2"	33.59
54	16.5	85-05437*	199582	6635	98'-10"	30.10	112'-10"	34.38


Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†					Fill Height	
		(Peaked) Storage		Eave Height				
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
60	18.3	85-06008	63552	2113	21'-6"	6.55	36'-11"	11.25
60	18.3	85-06009	69900	2324	24'-2"	7.37	39'-7"	12.07
60	18.3	85-06010	76249	2535	26'-10"	8.18	42'-2"	12.86
60	18.3	85-06011	82599	2746	29'-6"	8.99	44'-11"	13.69
60	18.3	85-06012	88948	2957	32'-2"	9.80	47'-7"	14.51
60	18.3	85-06013	95298	3168	34'-10"	10.62	50'-2"	15.29
60	18.3	85-06014	101647	3379	37'-6"	11.43	52'-11"	16.12
60	18.3	85-06015	107996	3590	40'-2"	12.24	55'-7"	16.95
60	18.3	85-06016	114346	3801	42'-10"	13.05	58'-2"	17.74
60	18.3	85-06017	120694	4012	45'-6"	13.87	60'-11"	18.56
60	18.3	85-06018	127044	4223	48'-2"	14.68	63'-7"	19.39
60	18.3	85-06019	133393	4435	50'-10"	15.49	66'-2"	20.18
60	18.3	85-06020	139742	4646	53'-6"	16.31	68'-11"	21.00
60	18.3	85-06021	146092	4857	56'-2"	17.12	71'-7"	21.82
60	18.3	85-06022	152441	5068	58'-10"	17.93	74'-2"	22.62
60	18.3	85-06023	158791	5279	61'-6"	18.74	76'-11"	23.44
60	18.3	85-06024	165139	5490	64'-2"	19.56	79'-7"	24.26
60	18.3	85-06025	171488	5701	66'-10"	20.37	82'-2"	25.05
60	18.3	85-06026	177838	5912	69'-6"	21.18	84'-11"	25.88
60	18.3	85-06027	184187	6123	72'-2"	21.99	87'-7"	26.70
60	18.3	85-06028	190537	6334	74'-10"	22.81	90'-2"	27.49
60	18.3	85-06029	196886	6545	77'-6"	23.62	92'-11"	28.32
60	18.3	85-06030	203235	6756	80'-2"	24.43	95'-7"	29.14
60	18.3	85-06031	209585	6967	82'-10"	25.24	98'-2"	29.93
60	18.3	85-06032	215933	7179	85'-6"	26.05	100'-11"	30.75
60	18.3	85-06033	222282	7390	88'-2"	26.86	103'-7"	31.58
60	18.3	85-06034	228632	7601	90'-10"	27.67	106'-2"	32.37
60	18.3	85-06035	234981	7812	93'-6"	28.48	108'-11"	33.19
60	18.3	85-06036	241331	8023	96'-2"	29.29	111'-7"	34.02
60	18.3	85-06037	247680	8234	98'-10"	30.10	114'-2"	34.81


Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
72	22.0	85-07208	95154	3163	21'-6"	6.55	40'-4"	12.28
72	22.0	85-07209	104298	3467	24'-2"	7.36	43'-0"	13.11
72	22.0	85-07210	113442	3771	26'-10"	8.18	45'-8"	13.93
72	22.0	85-07211	122586	4075	29'-6"	8.99	48'-4"	14.72
72	22.0	85-07212	131730	4379	32'-2"	9.80	51'-0"	15.54
72	22.0	85-07213	140874	4683	34'-10"	10.62	53'-8"	16.37
72	22.0	85-07214	150019	4987	37'-6"	11.43	56'-4"	17.16
72	22.0	85-07215	159163	5291	40'-2"	12.24	59'-0"	17.98
72	22.0	85-07216	168307	5595	42'-10"	13.05	61'-8"	18.81
72	22.0	85-07217	177451	5899	45'-6"	13.87	64'-4"	19.60
72	22.0	85-07218	186595	6203	48'-2"	14.68	67'-0"	20.42
72	22.0	85-07219	195739	6507	50'-10"	15.49	69'-8"	21.24
72	22.0	85-07220	204885	6811	53'-6"	16.31	72'-4"	22.04
72	22.0	85-07221	214028	7115	56'-2"	17.12	75'-0"	22.86
72	22.0	85-07222	223172	7419	58'-10"	17.93	77'-8"	23.68
72	22.0	85-07223	232316	7723	61'-6"	18.74	80'-4"	24.48
72	22.0	85-07224	241460	8027	64'-2"	19.56	83'-0"	25.30
72	22.0	85-07225	250605	8331	66'-10"	20.37	85'-8"	26.12
72	22.0	85-07226	259749	8635	69'-6"	21.18	88'-4"	26.91
72	22.0	85-07227	268894	8939	72'-2"	21.99	91'-0"	27.74
72	22.0	85-07228	278037	9243	74'-10"	22.81	93'-8"	28.56
72	22.0	85-07229	287181	9547	77'-6"	23.62	96'-4"	29.35
72	22.0	85-07230	296326	9851	80'-2"	24.43	99'-0"	30.18
72	22.0	85-07231	305470	10155	82'-10"	25.24	101'-8"	31.00
72	22.0	85-07232	314615	10459	85'-6"	26.05	104'-4"	31.79
72	22.0	85-07233	323758	10763	88'-2"	26.86	107'-0"	32.61
72	22.0	85-07234	332903	11067	90'-10"	27.67	109'-8"	33.44
72	22.0	85-07235	342047	11371	93'-6"	28.48	112'-4"	34.23
72	22.0	85-07236	351191	11675	96'-2"	29.29	115'-0"	35.05
72	22.0	85-07237	360336	11979	98'-10"	30.10	117'-8"	35.87


Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
75	22.9	85-07508	104233	3465	21'-6"	6.55	40'-8"	12.41
75	22.9	85-07509	114156	3795	24'-2"	7.36	43'-5"	13.23
75	22.9	85-07510	124079	4125	26'-10"	8.18	46'-1"	14.05
75	22.9	85-07511	134001	4455	29'-6"	8.99	48'-8"	14.84
75	22.9	85-07512	143923	4785	32'-2"	9.80	51'-5"	15.67
75	22.9	85-07513	153846	5114	34'-10"	10.62	54'-1"	16.49
75	22.9	85-07514	163768	5444	37'-6"	11.43	56'-8"	17.28
75	22.9	85-07515	173690	5774	40'-2"	12.24	59'-5"	18.11
75	22.9	85-07516	183613	6104	42'-10"	13.05	62'-1"	18.93
75	22.9	85-07517	193535	6434	45'-6"	13.87	64'-8"	19.72
75	22.9	85-07518	203458	6764	48'-2"	14.68	67'-5"	20.54
75	22.9	85-07519	213380	7094	50'-10"	15.49	70'-1"	21.37
75	22.9	85-07520	223302	7424	53'-6"	16.31	72'-8"	22.16
75	22.9	85-07521	233225	7753	56'-2"	17.12	75'-5"	22.98
75	22.9	85-07522	243146	8083	58'-10"	17.93	78'-1"	23.80
75	22.9	85-07523	253069	8413	61'-6"	18.74	80'-8"	24.60
75	22.9	85-07524	262992	8743	64'-2"	19.56	83'-5"	25.42
75	22.9	85-07525	272914	9073	66'-10"	20.37	86'-1"	26.24
75	22.9	85-07526	282836	9403	69'-6"	21.18	88'-8"	27.04
75	22.9	85-07527	292759	9733	72'-2"	21.99	91'-5"	27.86
75	22.9	85-07528	302681	10062	74'-10"	22.81	94'-1"	28.68
75	22.9	85-07529	312604	10392	77'-6"	23.62	96'-8"	29.47
75	22.9	85-07530	322527	10722	80'-2"	24.43	99'-5"	30.30
75	22.9	85-07531	332449	11052	82'-10"	25.24	102'-1"	31.12
75	22.9	85-07532	342371	11382	85'-6"	26.05	104'-8"	31.91
75	22.9	85-07533	352294	11712	88'-2"	26.86	107'-5"	32.74
75	22.9	85-07534	362216	12042	90'-10"	27.67	110'-1"	33.56
75	22.9	85-07535	372139	12371	93'-6"	28.48	112'-8"	34.35
75	22.9	85-07536	382061	12701	96'-2"	29.29	115'-5"	35.17
75	22.9	85-07537	391983	13031	98'-10"	30.10	118'-1"	36.00


Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
78	23.8	85-07808	113807	3783	21'-6"	6.55	41'-7"	12.68
78	23.8	85-07809	124540	4140	24'-2"	7.36	44'-4"	13.50
78	23.8	85-07810	135271	4497	26'-10"	8.18	46'-11"	14.30
78	23.8	85-07811	146004	4854	29'-6"	8.99	49'-7"	15.12
78	23.8	85-07812	156736	5211	32'-2"	9.80	52'-4"	15.94
78	23.8	85-07813	167469	5567	34'-10"	10.62	54'-11"	16.73
78	23.8	85-07814	178201	5924	37'-6"	11.43	57'-7"	17.56
78	23.8	85-07815	188934	6281	40'-2"	12.24	60'-4"	18.38
78	23.8	85-07816	199665	6638	42'-10"	13.05	62'-11"	19.17
78	23.8	85-07817	210398	6995	45'-6"	13.87	65'-7"	19.99
78	23.8	85-07818	221130	7351	48'-2"	14.68	68'-4"	20.82
78	23.8	85-07819	231863	7708	50'-10"	15.49	70'-11"	21.61
78	23.8	85-07820	242595	8065	53'-6"	16.31	73'-7"	22.43
78	23.8	85-07821	253328	8422	56'-2"	17.12	76'-7"	23.26
78	23.8	85-07822	264060	8778	58'-10"	17.93	78'-3"	24.05
78	23.8	85-07823	274792	9135	61'-6"	18.74	81'-7"	24.87
78	23.8	85-07824	285524	9492	64'-2"	19.56	84'-4"	25.69
78	23.8	85-07825	296257	9849	66'-10"	20.37	86'-11"	26.49
78	23.8	85-07826	306989	10206	69'-6"	21.18	89'-7"	27.31
78	23.8	85-07827	317721	10562	72'-2"	21.99	92'-4"	28.13
78	23.8	85-07828	328453	10919	74'-10"	22.81	94'-11"	28.93
78	23.8	85-07829	339186	11276	77'-6"	23.62	97'-7"	29.75
78	23.8	85-07830	349918	11633	80'-2"	24.43	100'-4"	30.57
78	23.8	85-07831	360651	11990	82'-10"	25.24	102'-11"	31.36
78	23.8	85-07832	371383	12346	85'-6"	26.05	105'-7"	32.19
78	23.8	85-07833	382116	12703	88'-2"	26.86	108'-4"	33.01
78	23.8	85-07834	392848	13060	90'-10"	27.67	110'-11"	33.80
78	23.8	85-07835	403581	13417	93'-6"	28.48	113'-7"	34.63
78	23.8	85-07836	414312	13774	96'-2"	29.29	116'-4"	35.45
78	23.8	85-07837	425045	14130	98'-10"	30.10	118'-11"	36.24

Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
90	27.4	85-09008	157200	5226	21'-6"	6.55	45'-0"	13.72
90	27.4	85-09009	171488	5701	24'-2"	7.36	47'-8"	14.54
90	27.4	85-09010	185779	6176	26'-10"	8.18	50'-5"	15.36
90	27.4	85-09011	200068	6651	29'-6"	8.99	53'-0"	16.15
90	27.4	85-09012	214359	7126	32'-2"	9.80	55'-8"	16.98
90	27.4	85-09013	228648	7601	34'-10"	10.62	58'-5"	17.80
90	27.4	85-09014	242939	8076	37'-6"	11.43	61'-0"	18.59
90	27.4	85-09015	257228	8551	40'-2"	12.24	63'-8"	19.42
90	27.4	85-09016	271518	9026	42'-10"	13.05	66'-5"	20.24
90	27.4	85-09017	285807	9501	45'-6"	13.87	69'-0"	21.03
90	27.4	85-09018	300098	9977	48'-2"	14.68	71'-8"	21.85
90	27.4	85-09019	314387	10452	50'-10"	15.49	74'-5"	22.68
90	27.4	85-09020	328678	10927	53'-6"	16.31	77'-0"	23.47
90	27.4	85-09021	342967	11402	56'-2"	17.12	79'-8"	24.29
90	27.4	85-09022	357257	11877	58'-10"	17.93	82'-5"	25.12
90	27.4	85-09023	371546	12352	61'-6"	18.74	85'-0"	25.91
90	27.4	85-09024	385836	12827	64'-2"	19.56	87'-8"	26.73
90	27.4	85-09025	400126	13302	66'-10"	20.37	90'-5"	27.55
90	27.4	85-09026	414416	13777	69'-6"	21.18	93'-0"	28.35
90	27.4	85-09027	428706	14252	72'-2"	21.99	95'-8"	29.17
90	27.4	85-09028	442996	14727	74'-10"	22.81	98'-5"	29.99
90	27.4	85-09029	457286	15202	77'-6"	23.62	101'-0"	30.78
90	27.4	85-09030	471575	15677	80'-2"	24.43	103'-8"	31.61
90	27.4	85-09031	485865	16152	82'-10"	25.25	106'-5"	32.43
90	27.4	85-09032	500155	16627	85'-6"	26.06	109'-0"	33.22
90	27.4	85-09033	514445	17102	88'-2"	26.88	111'-8"	34.05
90	27.4	85-09034	528735	17577	90'-10"	27.69	114'-5"	34.87
90	27.4	85-09035	543025	18052	93'-6"	28.50	117'-0"	35.66
90	27.4	85-09036	557315	18528	96'-2"	29.32	119'-8"	36.48

Brock Narrow-Corrugation Commercial Bins/Silos

		Maximum Capacity†					Fill Height	
		(Peaked) Storage		Eave Height				
Diameter		Model Number	Bushels	M ³	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
105	32.0	85-10508	223627	7434	21'-6"	6.55	49'-5"	15.06
105	32.0	85-10509	243078	8081	24'-2"	7.36	52'-0"	15.85
105	32.0	85-10510	262530	8728	26'-10"	8.18	54'-8"	16.67
105	32.0	85-10511	281982	9374	29'-6"	8.99	57'-5"	17.50
105	32.0	85-10512	301434	10021	32'-2"	9.80	60'-0"	18.29
105	32.0	85-10513	320885	10668	34'-10"	10.62	62'-8"	19.11
105	32.0	85-10514	340336	11314	37'-6"	11.43	65'-5"	19.93
105	32.0	85-10515	359788	11961	40'-2"	12.24	68'-0"	20.73
105	32.0	85-10516	379239	12608	42'-10"	13.05	70'-8"	21.55
105	32.0	85-10517	398691	13254	45'-6"	13.87	73'-5"	22.37
105	32.0	85-10518	418142	13901	48'-2"	14.68	76'-0"	23.16
105	32.0	85-10519	437594	14548	50'-10"	15.49	78'-8"	23.99
105	32.0	85-10520	457045	15194	53'-6"	16.31	81'-5"	24.81
105	32.0	85-10521	476497	15841	56'-2"	17.12	84'-0"	25.60
105	32.0	85-10522	495949	16487	58'-10"	17.93	86'-8"	26.43
105	32.0	85-10523	515401	17134	61'-6"	18.74	89'-5"	27.25
105	32.0	85-10524	534852	17781	64'-2"	19.56	92'-0"	28.04
105	32.0	85-10525	554304	18427	66'-10"	20.37	94'-8"	28.86
105	32.0	85-10526	573755	19074	69'-6"	21.18	97'-5"	29.69
105	32.0	85-10527	593207	19721	72'-2"	21.99	100'-0"	30.48
105	32.0	85-10528	612658	20367	74'-10"	22.80	102'-8"	31.30
105	32.0	85-10529	632110	21014	77'-6"	23.61	105'-5"	32.13
105	32.0	85-10530	651561	21661	80'-2"	24.42	108'-0"	32.92
105	32.0	85-10531	671013	22307	82'-10"	25.23	110'-8"	33.74
105	32.0	85-10532	690465	22954	85'-6"	26.04	113'-5"	34.56
105	32.0	85-10533	709916	23601	88'-2"	26.85	116'-0"	35.36
105	32.0	85-10534	729368	24247	90'-10"	27.66	118'-8"	36.18

† Maximum Capacity for a bin allows for grain to be at the normal (28-degree) angle of repose, starting one inch (25 mm) below the eave. BROCK® Commercial Stiffened Bins are designed for storage of free-flowing grain products weighing up to 48 lb/ft³ (769 kg/m³), plus a compaction factor of 6%. The grain capacities listed above are based on ASAE Standard: ASAE S413. Bins are designed to meet code requirements for 90 mph (145 km/h) wind zones and seismic zone 1. Standard roof peak capacities vary from 2,500 to 25,000 pounds (1,100 to 11,300 kg) depending on bin diameter. In the pursuit of LEADERSHIP THROUGH INNOVATION®, we reserve the right to change specifications without prior notice.

* Some commercial bins/silos 48 and 54 feet (14.6 and 16.5 m) in diameter require a temperature cable package to be added during construction if temperature cables are desired.

** 48-foot (14.6-m) diameter bins/silos with economical farm roof option. Brock's structured roof is standard on all bins 48 feet (14.6 meters) in diameter and larger.

Because you will customize your grain storage system to your unique needs, not all potentially dangerous or harmful situations can be identified by Brock Grain Systems at the time the bin components and accessories are manufactured. Therefore, it is essential that you think safety first and pay close attention